KARTA KATALOGOWA

9956

Wentylator osiowy AC

Producent: ebm-papst

Dane znamionowe	
Napięcie znamionowe	**230 V AC**
Prędkość obrotowa	**2450 obr/min**
Pobór mocy	**14,0 W**
Wydajność	**117 m³/h**
Maks. ciśnienie statyczne	**47 Pa**
Poziom ciśnienia akustycznego	**37 dB(A)**
Poziom mocy akustycznej	**5,0 B**
Temperatura otoczenia	**−40…+70 °C**

Budowa	
Wymiary	**119 × 119 × 25 mm**
Obudowa	**metal**
Masa	**0,325 kg**

Charakterystyka przepływowa



Dane na okładce wg karty katalogowej producenta ebm-papst (oryginał na kolejnych stronach).
Producent zastrzega możliwość zmian.

Dobór, wycena i dostawa – zapytaj LUFTBERG

tel. +48 600 100 371 · tel. +48 604 959 199
biuro@luftberg.pl · www.luftberg.pl

AC axial fan

Series 9900 119 x 119 x 25

- **General description:** AC fan with internal rotor shaded-pole motor.
- **Impeller material:** Mineral-reinforced PA plastic
- **Housing material:** Metal

Nominal data		Voltage	Frequency	Air flow	Speed	Power consumption	Sound level	Sound pressure level	Ambient temperature	L10 service life at 40 °C	L10 service life at max. temp.	Weight
Type	**Motor**	**VAC**	**Hz**	**m³/h**	**1/min**	**W**	**Bel**	**dB(A)**	**°C**	**h**	**h**	**kg**
9956	--	230	50	117	2450	14.0	5.0	37	-40 .. 70	47500	22500	0.325

Subject to modification

Characteristic: Pressure over air flow



AC axial fan

Series 9900 119 x 119 x 25

Specific drawing



Technical description

- **General description:** AC fan with internal rotor shaded-pole motor.
- **Housing material:** Metal
- **Direction of rotation:** Left, looking at rotor
- **Electrical connection:** 2 flat plugs 2.8 x 0.5 mm
- **Approvals:** VDE, CSA, UL, CE
- **Impeller material:** Mineral-reinforced PA plastic
- **Bearings:** Ball bearings
- **Direction of air flow:** Air exhaust over bars
- **Motor protection:** Protected from overload using impedance protection

Contact

ebm-papst St. Georgen GmbH & Co. KG
Hermann-Papst-Straße 1
D-78112 St. Georgen
Phone +49 (0) 7724 / 81-0
Fax +49 (0) 7724 / 81-1309
info2@de.ebmpapst.com
www.ebmpapst.com